




	Part No.	Description	For Tools
	TP-4001	10mm Chuck & key	AT-4030 AT-4031 AT-4032 AT-4034 AT-4035 AT-4036 AT-4037 AT-4038 AT-4130 AT-4131 AT-4133 AT-4134 AT-4135 AT-4136 AT-4139 AT-4232 AT-4233
	TP-4002	10mm Chuck & key (steel)	
	TP-4017	10mm Keyless chuck	
	TP-4007	13mm Chuck & key	AT-4040 AT-4041 AT-4042 AT-4044 AT-4140 AT-4141 AT-4143 AT-4144 AT-4145 AT-4146 AT-4242 AT-4243
	TP-4008	13mm Chuck & key (steel)	
	TP-4020	13mm Keyless chuck	
	TP-4110	TORQUE ARM Clamp dia.:32~40mm	AT-4014 AT-4015 AT-4110 AT-4111 AT-4016 AT-4017 AT-4018 AT-4019
	TP-4111	TORQUE ARM Clamp dia.:34~40mm	AT-4014 AT-4015 AT-4110 AT-4111 AT-4016 AT-4017 AT-4018 AT-4019
	TP-4032	Air valve control (1/4"PT)	AT-4068 AT-4069 AT-4077 AT-4078 AT-4079 AT-4162 AT-4165 AT-4166 AT-4167
	TP-4032N	Air valve control (1/4"NPT)	

	Part No.	Description	For Air Tools
	TP-7012	Backing plate 3", 4", 5-1/2" (paper)	AT-7012 AT-7212
	TP-7002	Sanding belt 10x330mm, #80	AT-7009
	TP-7003	Sanding belt 10x330mm, #100	AT-7120
	TP-7004	Sanding belt 10x330mm, #120	AT-7125
	TP-7005	Sanding belt 20x520mm, #80	AT-7221
	TP-7006	Sanding belt 20x520mm, #100	AT-7010 AT-7121 AT-7126 AT-7129
	TP-7020	Sanding belt 12.7x610mm, #80	AT-7222 AT-7222P
	TP-7021	Sanding belt 12.7x610mm, #100	AT-7111
	TP-7022	Sanding belt 12.7x610mm, #120	AT-7127
	TP-7023	Sanding belt 30x540mm, #80	AT-7109
	TP-7024	Sanding belt 30x540mm, #100	AT-7223
	TP-7025	Sanding belt 30x540mm, #120	AT-7223P
	TP-7026	Sanding belt 60x260mm, #80	AT-7224
	TP-7027	Sanding belt 60x260mm, #100	AT-7110
	TP-7028	Sanding belt 60x260mm, #120	
	P-A5C	1 5" velcro face sanding pad, normal type	AT-7002 AT-7004
	P-A5S	1 5" stick face sanding pad, normal type	AT-7027 AT-7102
	P-B6C	2 6" velcro face sanding pad, normal type	AT-7107 AT-7108
	P-B6S	2 6" stick face sanding pad, normal type	AT-7203 AT-7204
	P-A5VC	3 5" velcro face sanding pad, 5 hole vacuum type	AT-7205 AT-7207
	P-A5VS	3 5" stick face sanding pad, 5 hole vacuum type	AT-7002D AT-7002V
	P-B5VC	3 5" velcro face sanding pad, 6 hole vacuum type	AT-7004D AT-7004V
	P-B5VS	3 5" stick face sanding pad, 6 hole vacuum type	AT-7028 AT-7023
	P-B6VC	4 6" velcro face sanding pad, 6 hole vacuum type	AT-7043D AT-7102D
	P-B6VS	4 6" stick face sanding pad, 6 hole vacuum type	AT-7107D AT-7107V
	P-C5C	5 5" velcro face sanding pad, normal type	AT-7108D AT-7205D
	P-C5S	5 5" stick face sanding pad, normal type	AT-7205V AT-7207D
	P-C6C	5 6" velcro face sanding pad, normal type	
	P-C6S	5 6" stick face sanding pad, normal type	AT-7014
	P-D6S	6 6" stick face sanding pad, normal type	AT-7015P
	TP-7100	6" velcro face polishing sponge, #60, yellow color	AT-7002C AT-7004C
	TP-7101	6" velcro face polishing sponge, #70, grey color	AT-7027 AT-7102C
	TP-7102	6" velcro face polishing sponge, #100, blue color	AT-7107C AT-7108C
	TP-7133A(M)	2" surface conditioning disc kit, #80, yellow color	AT-7204C AT-7205C
	TP-7133B(M)	2" surface conditioning disc kit, #150, red color	AT-7207C
	TP-7133C(M)	2" surface conditioning disc kit, #320, green color	AT-7034(M)
	TP-7133D(M)	3" surface conditioning disc kit, #80, yellow color	AT-7134(M)
	TP-7133E(M)	3" surface conditioning disc kit, #150, red color	AT-7136(M)
	TP-7133F(M)	3" surface conditioning disc kit, #320, green color	AT-7234(M) AT-7239(M) AT-7334(M) AT-7335(M) AT-7434(M) AT-7435(M)

	Part No.	Description	For Air Tools
	TP-7032A	1/8" Collet	AT-7032(M) AT-7033L(M) AT-7034(M) AT-7132(M) AT-7133(M) AT-7134(M) AT-7133L(M) AT-7234(M)
	TP-7032B	3mm Collet	
	TP-7032C	1/4" Collet	
	TP-7032D	6mm Collet	
	TP-7033A	1/8" Collet	AT-7033(M)
	TP-7033B	3mm Collet	
	TP-7033C	1/4" Collet	
	TP-7033D	6mm Collet	
	GS10M	10 pcs Grinder stone (6mm)	AT-7032M AT-7033M AT-7033LM AT-7034M AT-7035M AT-7234M AT-7236M AT-7237M AT-7238M AT-7239M AT-7333M AT-7333LM
	TP-7134AM	2" Rubber pad X 1 2" Sanding paper X 4	AT-7034(M) AT-7134(M) AT-7234(M) AT-7239(M) AT-7334(M)
	TP-7134BM	3" Rubber pad X 1 3" Sanding paper X 4	
	TP-7132M	4 pcs Sanding drum (1", 3/4", 1/2", 3/8" each) 12 pcs Abrasive sleeve (1", 3/4", 1/2", 3/8" 3 pcs of each size)	AT-7032M AT-7033M AT-7033LM AT-7236M AT-7237M AT-7238M AT-7333M AT-7233LM
	TP-7036F	Flange & Flange nut	AT-7036
	TP-7037F	Flange & Flange nut	AT-7037
	TP-7041F	Flange & Flange nut	AT-7041
	TP-7036G	4" Center wheel guard	AT-7036
	TP-7037G	5" Center wheel guard	AT-7037
	TP-7041G	7" Center wheel guard	AT-7041

M : metric size (optional)

TP-2700A 3/32" Dimple Punch & Die Set



TP-2700B 1/8" Dimple Punch & Die Set




TP-2700C 5/32" Dimple Punch & Die Set



TP-2701A #6 Dimple Punch & Die Set



TP-2701B #8 Dimple Punch & Die Set




Model No.	Shank Size		A		B		C		D		E	
	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
TP-2700A	0.187	4.75	0.433	11	0.264	6.7	0.5	12.7	0.094	2.40	0.37	9.4
TP-2700B	0.187	4.75	0.433	11	0.264	6.7	0.5	12.7	0.125	3.10	0.37	9.4
TP-2700C	0.187	4.75	0.433	11	0.264	6.7	0.5	12.7	0.156	3.95	0.37	9.4
TP-2701A	0.187	4.75	0.433	11	0.268	6.8	0.625	15.9	0.134	3.40	0.38	9.6
TP-2701B	0.187	4.75	0.433	11	0.268	6.8	0.625	15.9	0.161	4.10	0.38	9.6

TP-2702A Flush set





TP-2702B Tubular roll die






TP-2702C 5/32" cupped set





TP-2702D 3/16" cupped set





Model No.	Shank Size		A		B		C		D	
	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm
TP-2702A	3/16	4.75	0.433	11	0.39	10.0	0.5	12.7	-	-
TP-2702B	3/16	4.75	0.433	11	0.49	12.5	0.5	12.7	0.08	2.1
TP-2702C	3/16	4.75	0.433	11	0.28	7.1	0.5	12.7	0.32	8.0
TP-2702D	3/16	4.75	0.433	11	0.36	9.2	0.5	12.7	0.39	9.8

	Part No.	Index	Description	For Air Tools
	AT-2001	1	Retainer spring	AT-2010 AT-2011 AT-2012 AT-2013 AT-2014 AT-2015 AT-2016 AT-2017 AT-2018 AT-2020 AT-2027 AT-2028 AT-2030 AT-2031 AT-2032 AT-2033 AT-2034 AT-2036 AT-2037
	AT-2002	2	Quick change retainer	
	AT-2005	3	Quick change retainer	
	AT-2006	4	2 ply universal retainer spring	
	TP-2291	5	Quick change retainer	AT-2205 AT-2207 AT-2209
	TP-2292	6	Quick change retainer	AT-2202 AT-2203 AT-2204
	TP-2191		Quick change retainer	AT-2101 AT-2102 AT-2103 AT-2104 AT-2107 AT-2108 AT-2109
	AT-2305C	1	Retainer spring open type	AT-2110/R AT-2110/H
	AT-2306C	2	Retainer spring close type	
	AT-2305R	1	Retainer spring open type	AT-2205 to AT-2209
	AT-2306R	2	Retainer spring close type	
	AT-2305A	1	Retainer spring open type	AT-2202 to AT-2204
	AT-2306A	2	Retainer spring close type	
	TP-2680		Needle scaler attachment	AT-2680
	AT-2071		Needle scaler attachment	AT-2011/H AT-2012/H AT-2013/H AT-2014/H AT-2015/H AT-2016/H AT-2017/H AT-2018/H AT-2027/H AT-2028/H AT-2031/H AT-2032/H AT-2033/H AT-2034/H AT-2036/H
	TP-2229		Replacement needle 2mm×180mm×29pcs	AT-2500 AT-2505
	TP-2229A		Replacement needle 2mm×150mm×29pcs	AT-2523
	TP-2266		Replacement needle 2mm×180mm×66pcs	AT-2503 AT-2504
	TP-2312		Replacement needle 3mm×180mm×12pcs	AT-2520
	TP-2312B		Replacement needle 3mm×125mm×12pcs	AT-2521
	TP-2319		Replacement needle 3mm×180mm×19pcs	AT-2500 AT-2505 AT-2680N AT-2522 AT-2524 AT-2525
	TP-2328		Replacement needle 3mm×180mm×28pcs	AT-2503
	TP-2349		Replacement needle 4mm×180mm×49pcs	AT-2504
	TP-2414		Replacement needle 4mm×180mm×14pcs	AT-2503
	TP-2435		Replacement needle 4mm×180mm×35pcs	AT-2504



		Part No.	Index	Description	For Air Tools
		TP-6014-1A	1	Knife Blade (57mm)	AT-6014 AT-6125
		TP-6014-1B	1	Knife Blade (90mm)	
		TP-6014-2A	2	Knife Blade (18mm)	
		TP-6014-2B	2	Knife Blade (36mm)	
		TP-6014-2C	2	Knife Blade (63mm)	
		TP-6014-2D	2	Knife Blade (90mm)	
		TP-6014-3A	3	Knife Blade (30mm)	
		TP-6014-4A	4	Knife Blade (8mm)	
		TP-6014-5A	5	Knife Blade (35mm)	
		TP-6014-6A	6	Knife Blade (35mm)	
		TP-6014-7A	7	Knife Blade (35mm)	
		TP-6014-8A	8	Knife Blade (24mm)	
		TP-6027B	2 Pcs Aluminum Oxide Disk For use with Cut-Off Tool. Maximum safe speed 20000 RPM. Size: 3" Dia. by 1/16" with 3/8" hole.		AT-6027 AT-6028 AT-6029 AT-6126 AT-6220
		TP-6027C	4 Pcs Aluminum Oxide Disk For use with Cut-Off Tool. Maximum safe speed 20000 RPM. Size: 3" Dia. by 1/16" with 3/8" hole.		
		TP-6011A	1	Saw Blade (24T)	AT-6008 AT-6011 AT-6012 AT-6108 AT-6109 AT-6110 AT-6111 AT-6112 AT-6207 AT-6208
		TP-6011B	2	Saw Blade (32T)	
		TP-6011C	3	Saw Blade (18T)	
		TP-6011D	4	Saw blade (14T)	
		TP-6011A-5	1	5 pcs Saw Blade (24T)	
		TP-6011B-5	2	5 pcs Saw Blade (32T)	
		TP-6011C-5	3	5 pcs Saw Blade (18T)	
		TP-6011D-5	4	5 pcs Saw blade (14T)	
		TP-6113A	5 pcs Saw Blade (14T)		AT-6113
		TP-6113B	5 pcs Saw Blade (18T)		
		TP-6113C	5 pcs Saw Blade (24T)		
		TP-6113D	5 pcs Saw Blade (32T)		
		TP-6114A	Saw blade (8/12T)		AT-6214
		TP-6114B	Saw blade E (14T)		
		TP-6066	3 pcs diamond file set- 3mm shank		AT-6066
		TP-6066A	1	2mm rectangular diamond file	
		TP-6066B	2	4mm rectangular diamond file	
		TP-6066C	3	6mm rectangular diamond file	
		TP-6067	4 pcs file set- 5mm shank		AT-6067 AT-6068
		TP-6067NF	1	5mm shank rectangular file	
		TP-6067NR	2	5mm shank round file	
		TP-6067NH	3	5mm shank half round file	
		TP-6067NT	4	5mm shank triangular file	

	Part No.	Index	Description	For Air Tools
	TP-6036	9"	Flexible Nylon Hose	AT-6036 AT-6036L AT-6037 AT-6037L AT-6038 AT-6038L AT-6039 AT-6039L AT-6138 AT-6138L
	TP-6036A	10"	Flexible Nylon Hose	
	TP-6036B	12"	Flexible Nylon Hose	
	TP-6036C	18"	Flexible Nylon Hose	
	TP-6036D	30"	Flexible Nylon Hose	
	TP-6037		Grease Coupler	AT-6036 AT-6036L AT-6037 AT-6037L AT-6038 AT-6038L AT-6039 AT-6039L AT-6138 AT-6138L
 TP-6037A	TP-6037A		Metallic Rigid Spout W/needle Tip	
	 TP-6037B		Metallic Rigid Spout	
1  M4 2  M5 #10 3  M6 4  M8 5/16" 5  M10 6  M12	TP-6300A	1	3 mm pull-setter head kit	AT-6300
	TP-6300B	1	4 mm pull-setter head kit	
	TP-6300P	1	#6-32 pull-setter head kit	
	TP-6300Q	1	#8-32 pull-setter head kit	
	TP-6301C	2	5 mm pull-setter head kit	AT-6300 AT-6301
	TP-6301R	2	#10-32 pull-setter head kit	
	TP-6301S	2	#10-24 pull-setter head kit	
	TP-6301D	3	6 mm pull-setter head kit	AT-6301 AT-6302
	TP-6301T	3	1/4"-20 pull-setter head kit	
	TP-6302E	4	8 mm pull-setter head kit	
	TP-6302U	4	5/16"-18 pull-setter head kit	
	TP-6303F	5	10 mm pull-setter head kit	AT-6302 AT-6303
	TP-6303V	5	3/8" pull-setter head kit	
	TP-6303G	6	12 mm pull-setter head kit	AT-6303
	TP-6303W	6	1/2" pull-setter head kit	
	TP-6034		4" eraser rubber pad (5/16"-24T)	AT-6034 AT-6035
	TP-6020		Cutter head	AT-6020 AT-6021 AT-6121
	TP-6023		Cutter head	AT-6023 AT-6024



WIRE CUTTING BLADE

	Blade Model	Capacity (mm)		For Tools	Size		
		Copper	Iron		A (mm)	B (mm)	C (mm)
	TP-6072	Ø1.0	Ø0.5	AT-6072	11.0	6.9	1.8
	TP-6073	Ø1.6	Ø1.0	AT-6073	13.5	9.6	6.0
	TP-6074	Ø2.6	Ø2.0	AT-6074	19.0	11.8	7.5
	TP-6075	Ø3.3	Ø2.8	AT-6075	24.0	17.0	8.5
							



PLASTIC CUTTING BLADE

	Blade Model	Capacity (mm)		For Tools	Size			
		Soft plastic	Hard plastic		A (mm)	B (mm)	C (mm)	D
	TP-6074FD6	Ø5	Ø4.0	AT-6074	11	11.8	7.5	42°
	TP-6075FD8P	Ø10	Ø6.5	AT-6075	14	17.0	11.2	30°
								

NON-INSULATED TERMINAL CRIMPING BLADE

	Blade Model	Capacity (sq)	For Tools	Size	
				A (mm)	B (mm)
	TP-6074A5P	1.25	AT-6074	11	5.7
	TP-6075A7PA	1.25	AT-6075	11.5	6.5
	TP-6075A7PB	2.0	AT-6075	11.5	6.5
	TP-6075A7PC	5.5	AT-6075	11.5	6.5
	TP-6075A7WP-3	1.25~5.5	AT-6075	28	6
					

INSULATED TERMINAL CRIMPING BLADE

	Blade Model	Capacity (sq)	For Tools	Size	
				A (mm)	B (mm)
	TP-6075AR7PA	1.25	AT-6075	17	6
	TP-6075AR7PB	2.0	AT-6075	17	6
	TP-6075AR7PC	5.5	AT-6075	17	6
	TP-6075AR7WP	2.0~5.5	AT-6075	22	5.8
					

Part No.	Description	Part No.	Description
	SP-1580 Double diaphragm pump Pressure Ratio : 1:1 Delivery : 5L/min (0.4 kg/cm ²) 7.5 L/min (1 kg/cm ²) 10.5 L/min (2 kg/cm ²) Air Pressure : 1-5 kg/cm ² Max. Pump Speed : 160 times/min Min. Pump Speed : 80 times/min		SP-1400 Frame type agitator Free Speed : 3000 RPM Air Consumption : 11cfm
	SP-1020 Twin paint hose Air Hose : 6.5×10mm×100M Paint Hose : 8×11mm×100M		SP-2001 Air regulator
	SP-1021 Twin paint hose Air Hose : 6.5×10mm×10M Paint Hose : 8×11mm×10M		AA-2002 Oil & water separator
	SP-1022 Twin paint hose Air Hose : 6.5×10mm×5M Paint Hose : 8×11mm×5M		R-2000 In-line air regulator
	SP-2020 Paint viscosity cup		R-3000 Air control valve
			RS-1000 Refillable aerosol spray gun Max. Pressure : 14kg/cm ² Capacity : 0.6L

AIR BRUSH ACCESSORIES

Part No.	Description	Part No.	Description
	BP-1001 Air brush holder The HOLDER will bring much convenience on using air brush. The well-designed stands are good for holding all kinds of air brush and filter/regulator.		AA-2021FR Air filter/regulator Port size : 1/8" Range of pressure : 0.5~9.9 kg/cm ² Filter element : 20 μ Operating temp. range : 5~60°C
	AA-1310 Rubber soft braid hose Length : 6.5FT Fitting : 1/4"×1/8"PS		AA-46004A PU air hose Length : 13FT Fitting : 1/4"×1/8"PS
	AA-1311 Rubber soft braid hose Length : 6.5FT Fitting : 1/8"×1/8"PS		AA-46004B PU air hose Length : 13FT Fitting : 1/8PS
	AA-1312 Rubber soft braid hose Length : 6.5FT Fitting : 1/8"×M5-P0.45		BP-1014 Adapter 1/8"×M5-P0.45
	BP-1011 Adapter 1/4"PT×M5-P0.45		BP-1015 Connector 1/8"
	BP-1012 Adapter 1/4"NPT×M5-P0.45		BP-1016 Adapter 1/8"×M5-P0.45
	BP-1013 Adapter 1/4"NPT×1/8"		BP-1017 Air hose connector 1/8"