

AIR DIE GRINDER

AT-7238
1/4" die grinder
AT-7238M
6mm die grinder



(Side exhaust)

AT-7238R
1/4" die grinder
AT-7238RM
6mm die grinder



(Side exhaust)

AT-7333
0.9HP 1/4" die grinder
AT-7333M
0.9HP 6mm die grinder



(Rear exhaust)

AT-7339
0.49HP 1/4" die grinder
AT-7339M
0.49HP 6mm die grinder



(Rear exhaust)

AT-7238L
1/4" extended die grinder
AT-7238LM
6mm extended die grinder



(Side exhaust)

AT-7238LR
1/4" extended die grinder
AT-7238LRM
6mm extended die grinder



(Side exhaust)

AT-7333L
0.9HP 1/4" extended die grinder
AT-7333LM
0.9HP 6mm extended die grinder



(Rear exhaust)

AT-7339L
1/4" extended die grinder
AT-7339LM
6mm extended die grinder



(Rear exhaust)

AT-7430
0.35 HP 1/4" die grinder
AT-7430M
0.35 HP 6mm die grinder



(Rear exhaust)

AT-7431
0.35 HP 1/4" die grinder
AT-7431M
0.35 HP 6mm die grinder



(Front exhaust)

AT-7432
0.45 HP 1/4" die grinder
AT-7432M
0.45 HP 6mm die grinder



(Rear exhaust)

AT-7433
0.45 HP 1/4" die grinder
AT-7433M
0.45 HP 6mm die grinder



(Front exhaust)

Model No.	Free Speed RPM	Collet Size		Max Output		Overall Length		Air Inlet (PT)	Air Hose (ID)	Avg. Air Consumption		Net Weight		Packing Pcs/Ctn/G.W/Cuft (kg)	Sug. Air Comp. (HP)
		inch	mm	kw	hp	inch	mm			scfm	l/min	lb	kg		
AT-7238(M)	24000	1/4	6	0.30	0.40	7.05	179	1/4"	3/8"	10	280	1.70	0.77	10/Ctn/11 kg/0.92'	3
AT-7238L(M)	24000	1/4	6	0.30	0.40	12.05	306	1/4"	3/8"	10	280	1.98	0.90	10/Ctn/11 kg/0.92'	3
AT-7238LR(M)	24000	1/4	6	0.30	0.40	11.69	297	1/4"	3/8"	10	280	1.76	0.80	10/Ctn/11 kg/0.92'	3
AT-7238R(M)	24000	1/4	6	0.30	0.40	6.69	170	1/4"	3/8"	10	280	1.46	0.66	10/Ctn/11 kg/0.92'	3
AT-7333(M)	18000	1/4	6	0.67	0.90	7.68	195	1/4"	3/8"	9	255	1.68	0.76	20/Ctn/18 kg/1'	3
AT-7333L(M)	18000	1/4	6	0.67	0.90	14.37	365	1/4"	3/8"	9	255	3.13	1.42	10/Ctn/15 kg/1'	3
AT-7339(M)	28000	1/4	6	0.36	0.49	7.87	200	1/4"	3/8"	12	340	1.54	0.70	10/Ctn/9 kg/1.5'	3
AT-7339L(M)	28000	1/4	6	0.36	0.49	12.99	330	1/4"	3/8"	12	340	1.98	0.90	10/Ctn/10 kg/1.5'	3
AT-7430(M)	24000	1/4	6	0.26	0.35	8.00	203	1/4"	5/16"	9	255	1.10	0.50	10/Ctn/14.4 kg/1.55'	3
AT-7431(M)	24000	1/4	6	0.26	0.35	7.87	200	1/4"	5/16"	9	255	1.54	0.70	10/Ctn/10.7 kg/0.7'	3
AT-7432(M)	18000	1/4	6	0.33	0.45	8.43	214	1/4"	5/16"	9	255	1.76	0.80	10/Ctn/15.6 kg/1.55'	3
AT-7433(M)	18000	1/4	6	0.33	0.45	8.35	212	1/4"	5/16"	9	255	1.76	0.80	10/Ctn/11.6 kg/0.7'	3

M : metric size

AIR DIE GRINDER

AT-7032
1/4" mini die grinder
AT-7032M
6mm mini die grinder



(Rear exhaust)

AT-7033
1/4" medium die grinder
AT-7033M
6mm medium die grinder



(Rear exhaust)

AT-7035
1/4" die grinder
AT-7035M
6mm die grinder



(Front exhaust)

AT-7033L
1/4" extended die grinder
AT-7033LM
6mm extended die grinder



(Rear exhaust)

AT-7330
1/4" mini die grinder
AT-7330M
6mm mini die grinder



(Rear exhaust)

AT-7331
1/4" mini die grinder
AT-7331M
6mm mini die grinder



(Front exhaust)

AT-7132
1/4" die grinder
AT-7132M
6mm die grinder



(Rear exhaust)

AT-7133L
1/4" extended die grinder
AT-7133LM
6mm extended die grinder



(Rear exhaust)

AT-7235
1/4" low speed die grinder
AT-7235M
6mm low speed die grinder



(Rear exhaust)

AT-7336R
1/4" extended die grinder
AT-7336RM
6mm extended die grinder



(Side exhaust)

AT-7032K(MK)
1/4" (6mm) die grinder kit
AT-7132K(MK)
1/4" (6mm) die grinder kit



AT-7033K(MK)
1/4" (6mm) die grinder kit



SPECIFICATIONS (at 90psi-6.2bar)

Model No.	Free Speed RPM	Collet Size		Overall Length		Air Inlet (PT)	Air Hose (ID)	Avg. Air Consumption		Net Weight		Packing Pcs/Ctn/G. W/Cuft (kg)	Sug. Air Comp. (HP)
		inch	mm	inch	mm			scfm	l/min	lb	kg		
AT-7032(M)	25000	1/4	6	6.30	160	1/4"	3/8"	6.5	184	0.79	0.36	25/Ctn/14 kg/0.75'	2
AT-7033(M)	22000	1/4	6	6.69	170	1/4"	3/8"	8	226	1.32	0.6	25/Ctn/21.7kg/0.8'	2
AT-7033L(M)	25000	1/4	6	9.84	250	1/4"	3/8"	6.5	184	1.41	0.64	25/Ctn/17 kg/0.75'	2
AT-7035(M)	22000	1/4	6	5.71	145	1/4"	3/8"	10	280	1.23	0.56	10/Ctn/21 kg/1.43'	3
AT-7132(M)	25000	1/4	6	6.30	160	1/4"	3/8"	7	198	0.84	0.38	20/Ctn/11 kg/0.8'	2
AT-7133L(M)	25000	1/4	6	11.22	285	1/4"	3/8"	7	198	1.37	0.62	20/Ctn/15.5 kg/1'	2
AT-7235(M)	4000	1/4	6	8.27	210	1/4"	3/8"	10	280	1.85	0.84	20/Ctn/21 kg/0.88'	2
AT-7330(M)	25000	1/4	6	4.84	123	1/4"	3/8"	6.5	184	0.73	0.33	20/Ctn/11 kg/0.6'	2
AT-7331(M)	25000	1/4	6	4.84	123	1/4"	3/8"	6.5	184	0.73	0.33	20/Ctn/11 kg/0.6'	2
AT-7336R(M)	14000	1/4	6	13.58	345	3/8"	3/8"	11	311	3.09	1.4	15/Ctn/25 kg/2.19'	3

Model No.	AT-7032K(MK)	AT-7033K(MK)	AT-7132K(MK)
Contents	1 Pc AT-7032(M) Die Grinder 1 Pc Blow Case 2 Pcs Wrench 5 Pcs 1/8" (3mm) Shank Grinding Stone 5 Pcs 1/4" (6mm) Shank Grinding Stone 1 Pc 1/8" (3mm) Collet 1 Pc Nipple Packing : 20/Ctn/23 kg/2.3'	1 Pc AT-7033(M) Die Grinder 1 Pc Blow Case 2 Pcs Wrench 5 Pcs 1/8" (3mm) Shank Grinding Stone 5 Pcs 1/4" (6mm) Shank Grinding Stone 1 Pc 1/8" (3mm) Collet 1 Pc Nipple Packing : 20/Ctn/28.5 kg/2.3'	1 Pc AT-7132(M) Die Grinder 1 Pc Blow Case 2 Pcs Wrench 5 Pcs 1/8" (3mm) Shank Grinding Stone 5 Pcs 1/4" (6mm) Shank Grinding Stone 1 Pc 1/8" (3mm) Collet 1 Pc Nipple Packing : 10/Ctn/14 kg/1.2'

M : metric size K : kit

AIR ANGLE DIE GRINDER

 **AT-7435**
1/4" angle die grinder
AT-7435M
6mm angle die grinder




 **AT-7334**
1/4" Angle die grinder (no gear)
AT-7334M
6mm Angle die grinder (no gear)



 **AT-7335**
1/4" Angle die grinder (no gear)
AT-7335M
6mm Angle die grinder (no gear)



 **AT-7434**
0.6HP 1/4" Angle die grinder
AT-7434M
0.6HP 6mm Angle die grinder




 **AT-7239**
1/4" Angle die grinder (no gear)
AT-7239M
6mm Angle die grinder (no gear)



 **AT-7234**
1/4" Angle die grinder (no gear)
AT-7234M
6mm Angle die grinder (no gear)



 **AT-7034**
1/4" angle die grinder
AT-7034M
6mm angle die grinder



 **AT-7134**
1/4" angle die grinder
AT-7134M
6mm angle die grinder



 **AT-7136**
115 degree 1/4" angle die grinder
AT-7136M
115 degree 6mm angle die



SPECIFICATIONS (at 90psi-6.2bar)

Model No.	Free Speed RPM	Collet Size		Overall Length		Air Inlet (PT)	Air Hose (ID)	Avg. Air Consumption		Net Weight		Packing Pcs/Ctn/G.W./Cuft (kg)	Sug. Air Comp. (HP)
		inch	mm	inch	mm			scfm	l/min	lb	kg		
AT-7034(M)	18000	1/4	6	6.30	160	1/4"	3/8"	6.5	184	1.10	0.50	25/Ctn/19 kg/0.75'	2
AT-7134(M)	20000	1/4	6	6.30	160	1/4"	3/8"	7	198	1.10	0.50	20/Ctn/13.5 kg/1'	2
AT-7136(M)	20000	1/4	6	6.61	168	1/4"	5/16"	6.5	184	1.10	0.50	20/Ctn/14.6 kg/0.74'	2
AT-7234(M)	20000	1/4	6	5.90	150	1/4"	5/16"	6.5	184	1.10	0.50	25/Ctn/19 kg/0.75'	2
AT-7239(M)	20000	1/4	6	6.30	160	1/4"	3/8"	8	226	1.32	0.60	20/Ctn/15 kg/1'	3
AT-7334(M)	25000	1/4	6	8.10	205	1/4"	3/8"	8	226	1.37	0.62	20/Ctn/15 kg/1.2'	3
AT-7335(M)	18000	1/4	6	8.30	212	1/4"	3/8"	10	283	1.96	0.89	20/Ctn/17 kg/1.4'	3
AT-7434(M)	12000	1/4	6	6.90	175	1/4"	3/8"	8	226	1.81	0.82	20/Ctn/18 kg/1'	3
AT-7435(M)	30000	1/4	6	4.72	120	1/4"	3/8"	8	226	0.97	0.44	20/Ctn/10.5 kg/1'	3

M : metric size

AIR MICRO DIE GRINDER

AT-3170
1/8" 54000rpm micro die grinder
AT-3170M
3mm 54000 rpm micro die grinder



AT-3172
1/8" 60000rpm micro die grinder
AT-3172M
3mm 60000rpm micro die grinder



AT-3180
1/8" 70000rpm micro die grinder
AT-3180M
3mm 70000rpm micro die grinder



AT-3181
1/8" 70000 rpm micro die grinder
AT-3181M
3mm 70000 rpm micro die grinder



AT-7230
1/8" 70000 rpm micro die grinder
AT-7230M
3mm 70000 rpm micro die grinder



AT-3193
1/8" 120° Air angle die grinder
AT-3193M
3mm 120° Air angle die grinder



AT-3190
120° 30mm Air angle grinder



AT-3191
90° 30mm Air angle grinder



AT-3192
120° 20mm Air angle grinder



Model No.	Free Speed RPM	Collet Size		Overall Length		Air Inlet (PT)	Air Hose (ID)	Avg. Air Consumption		Net Weight		Working Air Pressure		Packing Pcs/Ctn/G.W/Cuft (kg)	Sug. Air Comp. (HP)
		inch	mm	inch	mm			scfm	l/min	lb	kg	psi	kg/cm ²		
AT-3170(M)	54000	1/8	3	5.20	132	1/4"	1/4"	5	142	0.50	0.23	90	6.3	20/Ctn/13.8 kg/1.38'	1.5
AT-3172(M)	60000	1/8	3	5.55	141	1/4"	1/4"	5	142	0.50	0.23	90	6.3	20/Ctn/13.8 kg/1.38'	1.5
AT-3180(M)	70000	1/8	3	5.20	132	1/4"	1/4"	5	142	0.50	0.23	90	6.3	20/Ctn/12.6kg/1.38'	1.5
AT-3181(M)	70000	1/8	3	5.31	135	1/4"	1/4"	5	142	0.50	0.23	90	6.3	20/Ctn/14 kg/1.38'	1.5
AT-3193(M)	52000	1/8	3	5.00	128	1/4"	1/4"	5	142	0.28	0.13	90	6.3	50/Ctn/20 kg/2.19'	1.5
AT-7230(M)	35000	1/8	3	6.89	150	1/4"	1/4"	6	170	0.77	0.35	90	6.3	20/Ctn/16 kg/1.38'	2

Model No.	Free Speed RPM	Cup Wheel Size (mm)	Overall Length		Air Inlet (PT)	Air Hose (ID)	Avg. Air Consumption		Net Weight		Working Air Pressure		Packing Pcs/Ctn/G.W/Cuft (kg)	Sug. Air Comp. (HP)
			inch	mm			scfm	l/min	lb	kg	psi	kg/cm ²		
AT-3190	23000	30	5.3	135	1/4"	1/4"	5	142	0.39	0.18	90	6.3	50/Ctn/21 kg/2.19'	1.5
AT-3191	23000	30	4.8	123	1/4"	1/4"	5	142	0.34	0.15	90	6.3	50/Ctn/21 kg/2.19'	1.5
AT-3192	35000	20	5.2	132	1/4"	1/4"	5	142	0.30	0.14	90	6.3	50/Ctn/20 kg/2.19'	1.5

M : metric size