

AIR DIE GRINDER

AT-7238
1/4" Die grinder
AT-7238M
6mm Die grinder



(Side exhaust)

AT-7238R
1/4" Die grinder
AT-7238RM
6mm Die grinder



(Side exhaust)

AT-7339
1/4" Die grinder
AT-7339M
6mm Die grinder



(Rear exhaust)

AT-7333
1/4" Die grinder
AT-7333M
6mm Die grinder



(Rear exhaust)

AT-7333L
1/4" Extended die grinder
AT-7333LM
6mm Extended die grinder



(Rear exhaust)

AT-7339L
1/4" Extended die grinder
AT-7339LM
6mm Extended die grinder



(Rear exhaust)

AT-7437
1/4" Die grinder
AT-7437M
6mm Die grinder



(Side exhaust)

AT-7438
1/4" Die grinder
AT-7438M
6mm Die grinder



(Side exhaust)

AT-7439
1/4" Die grinder
AT-7439M
6mm Die grinder



(Side exhaust)

SPECIFICATIONS (at 90psi-6.2bar)

Model No.	Free Speed RPM	Collet Size		Max Output		Overall Length		Air Inlet (PT)	Air Hose (ID)	Avg. Air Consumption		Net Weight		Packing Pcs/Ctn/G.W/Cuft (kg)	Sug. Air Comp. (HP)
		inch	mm	kw	hp	inch	mm			scfm	l/min	lb	kg		
AT-7238(M)	24000	1/4	6	0.30	0.40	7.05	179	1/4"	3/8"	10	280	1.70	0.77	10/Ctn/11 kg/0.92'	3
AT-7238R(M)	24000	1/4	6	0.30	0.40	6.69	170	1/4"	3/8"	10	280	1.46	0.66	20/Ctn/21 kg/0.88'	3
AT-7333(M)	18000	1/4	6	0.67	0.90	7.68	195	1/4"	3/8"	9	255	1.68	0.76	10/Ctn/18 kg/1'	3
AT-7333L(M)	18000	1/4	6	0.67	0.90	13.39	340	1/4"	3/8"	9	255	3.13	1.42	10/Ctn/15 kg/1'	3
AT-7339(M)	28000	1/4	6	0.36	0.49	7.87	200	1/4"	3/8"	12	340	1.54	0.70	10/Ctn/9 kg/1.5'	3
AT-7339L(M)	28000	1/4	6	0.36	0.49	13.00	330	1/4"	3/8"	13	340	1.98	0.90	10/Ctn/11 kg/1.5'	3
AT-7437(M)	25000	1/4	6	0.30	0.40	6.30	160	1/4"	3/8"	10	280	0.90	0.40	10/Ctn/15 kg/1'	3
AT-7438(M)	22000	1/4	6	0.40	0.54	8.10	205	1/4"	3/8"	12	340	1.70	0.76	20/Ctn/21 kg/0.88'	3
AT-7439(M)	19000	1/4	6	0.52	0.70	8.70	220	1/4"	3/8"	13	368	1.90	0.84	20/Ctn/21 kg/0.88'	3

M : metric size

AIR DIE GRINDER

AT-7032
1/4" Mini die grinder
AT-7032M
6mm Mini die grinder



(Rear exhaust)

AT-7033
1/4" Medium die grinder
AT-7033M
6mm Medium die grinder



(Rear exhaust)

AT-7035
1/4" Die grinder
AT-7035M
6mm Die grinder



(Front exhaust)

AT-7033L
1/4" Extended die grinder
AT-7033LM
6mm Extended die grinder



(Rear exhaust)

AT-7233
1/4" Medium die grinder
AT-7233M
6mm Medium die grinder



(Rear exhaust)

AT-7233L
1/4" 5" Extended die grinder
AT-7233LM
1/4" 5" Extended die grinder



(Rear exhaust)

AT-7233E
1/4" 8" Extended die grinder
AT-7233EM
6mm 8" Extended die grinder



(Rear exhaust)

AT-7330
1/4" Mini die grinder
AT-7330M
6mm Mini die grinder



(Rear exhaust)

AT-7331
1/4" Mini die grinder
AT-7331M
6mm Mini die grinder



(Front exhaust)

AT-7235
1/4" Low speed die grinder
AT-7235M
6mm Low speed die grinder



(Rear exhaust)

AT-7531
1/4" Low speed die grinder
AT-7531M
6mm Low speed die grinder



(Rear exhaust)

SPECIFICATIONS (at 90psi-6.2bar)

Model No.	Free Speed RPM	Collet Size		Max Output		Overall Length		Air Inlet (PT)	Air Hose (ID)	Avg. Air Consumption		Net Weight		Packing Pcs/Ctn/G.W/Cuft (kg)	Sug. Air Comp. (HP)
		inch	mm	kw	hp	inch	mm			scfm	l/min	lb	kg		
AT-7032(M)	25000	1/4	6	0.23	0.30	6.30	160	1/4"	3/8"	6.5	184	0.79	0.36	25/Ctn/14 kg/0.75'	2
AT-7033(M)	22000	1/4	6	0.37	0.50	6.69	170	1/4"	3/8"	10	280	1.32	0.60	25/Ctn/21.7kg/0.8'	3
AT-7033L(M)	25000	1/4	6	0.23	0.30	9.84	250	1/4"	3/8"	6.5	184	1.41	0.64	25/Ctn/17 kg/0.75'	2
AT-7035(M)	22000	1/4	6	0.37	0.50	5.71	145	1/4"	3/8"	10	280	1.23	0.56	20/Ctn/15.6 kg/0.6'	3
AT-7235(M)	4000	1/4	6	0.37	0.50	8.27	210	1/4"	3/8"	10	280	1.85	0.84	20/Ctn/21 kg/0.88'	3
AT-7330(M)	25000	1/4	6	0.23	0.30	5.12	130	1/4"	3/8"	6.5	184	0.73	0.33	20/Ctn/11 kg/0.6'	2
AT-7331(M)	25000	1/4	6	0.23	0.30	5.12	130	1/4"	3/8"	6.5	184	0.73	0.33	20/Ctn/11 kg/0.6'	2
AT-7233(M)	23000	1/4	6	0.37	0.50	6.89	175	1/4"	3/8"	10	280	1.48	0.67	20/Ctn/21 kg/0.88'	3
AT-7233L(M)	22000	1/4	6	0.37	0.50	10.60	270	1/4"	3/8"	10	280	2.20	1.00	20/Ctn/21 kg/0.88'	3
AT-7233E(M)	22000	1/4	6	0.37	0.50	13.70	347	1/4"	3/8"	10	280	2.60	1.18	20/Ctn/21 kg/0.88'	3
AT-7531(M)	4000	1/4	6	0.37	0.50	8.27	210	1/4"	3/8"	10	280	1.85	0.84	20/Ctn/21 kg/0.88'	3

M : metric size K : kit

AIR ANGLE DIE GRINDER



AT-7435
1/4" Angle die grinder
AT-7435M
6mm Angle die grinder



AT-7334
1/4" Angle die grinder (no gear)
AT-7334M
6mm Angle die grinder (no gear)



AT-7335
1/4" Angle die grinder (no gear)
AT-7335M
6mm Angle die grinder (no gear)



AT-7530
1/4" Flex-head angle die grinder
AT-7530M
6mm Flex-head angle die grinder



AT-7239
1/4" Angle die grinder (no gear)
AT-7239M
6mm Angle die grinder (no gear)



AT-7234
1/4" Angle die grinder (no gear)
AT-7234M
6mm Angle die grinder (no gear)



AT-7034
1/4" Angle die grinder
AT-7034M
6mm Angle die grinder



AT-7136
115 Degree 1/4" angle die grinder
AT-7136M
115 Degree 6mm angle die grinder



AT-7434
1/4" Angle die grinder
AT-7434M
6mm Angle die grinder



SPECIFICATIONS (at 90psi-6.2bar)

Model No.	Free Speed RPM	Collet Size		Max Output		Overall Length		Air Inlet (PT)	Air Hose (ID)	Avg. Air Consumption		Net Weight		Packing Pcs/Ctn/G.W/Cuft (kg)	Sug. Air Comp. (HP)
		inch	mm	kw	hp	inch	mm			scfm	l/min	lb	kg		
AT-7034(M)	18000	1/4	6	0.23	0.30	6.30	160	1/4"	3/8"	6.5	184	1.10	0.50	25/Ctn/19 kg/0.75'	2
AT-7136(M)	20000	1/4	6	0.23	0.30	6.61	168	1/4"	5/16"	6.5	184	1.10	0.50	20/Ctn/14.6 kg/0.74'	2
AT-7234(M)	25000	1/4	6	0.15	0.20	5.90	150	1/4"	5/16"	6.5	184	1.10	0.50	25/Ctn/19 kg/0.75'	2
AT-7239(M)	20000	1/4	6	0.23	0.30	6.30	160	1/4"	3/8"	8	226	1.32	0.60	20/Ctn/15 kg/1'	3
AT-7334(M)	25000	1/4	6	0.15	0.20	8.10	205	1/4"	3/8"	8	226	1.37	0.62	20/Ctn/15 kg/1.2'	3
AT-7335(M)	18000	1/4	6	0.33	0.45	8.30	212	1/4"	3/8"	10	283	1.96	0.89	20/Ctn/17 kg/1.4'	3
AT-7434(M)	12000	1/4	6	0.37	0.50	6.90	175	1/4"	3/8"	8	226	1.81	0.82	20/Ctn/18 kg/1'	3
AT-7435(M)	30000	1/4	6	0.15	0.20	4.72	120	1/4"	3/8"	8	226	0.97	0.44	20/Ctn/10.5 kg/1'	3
AT-7530(M)	18000	1/4	6	0.33	0.45	8.19	208	1/4"	3/8"	10	280	1.65	0.75	10/Ctn/9 kg/0.8'	3

M : metric size

AIR MICRO DIE GRINDER



AT-3170

1/8" 54000 rpm Micro die grinder

AT-3170M

3mm 54000 rpm Micro die grinder



AT-3172

1/8" 60000 rpm Micro die grinder

AT-3172M

3mm 60000 rpm Micro die grinder



AT-3180

1/8" 70000 rpm Micro die grinder

AT-3180M

3mm 70000 rpm Micro die grinder



AT-3181

1/8" 70000 rpm Micro die grinder

AT-3181M

3mm 70000 rpm Micro die grinder



AT-7230

1/8" 35000 rpm Micro die grinder

AT-7230M

3mm 35000 rpm Micro die grinder



AT-7436M

3mm Turbine Air Die Grinder



AT-3190

120° 30mm Air angle grinder



AT-3191

90° 30mm Air angle grinder



AT-3192

120° 20mm Air angle grinder



AT-3193

1/8" 120° Air angle die grinder

AT-3193M

3mm 120° Air angle die grinder



Model No.	Free Speed RPM	Collet Size		Overall Length		Air Inlet (PT)	Air Hose (ID)	Avg. Air Consumption		Net Weight		Working Air Pressure		Packing Pcs/Ctn/G.W/Cuft (kg)	Sug. Air Comp. (HP)
		inch	mm	inch	mm			scfm	l/min	lb	kg	psi	kg/cm ²		
AT-3170(M)	54000	1/8	3	5.20	132	1/4"	1/4"	5	142	0.50	0.23	90	6.3	20/Ctn/13.8 kg/1.38'	1.5
AT-3172(M)	60000	1/8	3	5.55	141	1/4"	1/4"	5	142	0.50	0.23	90	6.3	20/Ctn/13.8 kg/1.38'	1.5
AT-3180(M)	70000	1/8	3	5.20	132	1/4"	1/4"	5	142	0.50	0.23	90	6.3	20/Ctn/12.6kg/1.38'	1.5
AT-3181(M)	70000	1/8	3	5.31	135	1/4"	1/4"	5	142	0.50	0.23	90	6.3	20/Ctn/14 kg/1.38'	1.5
AT-3193(M)	52000	1/8	3	5.00	128	1/4"	1/4"	5	142	0.28	0.13	90	6.3	50/Ctn/20 kg/2.19'	1.5
AT-7230(M)	35000	1/8	3	6.89	150	1/4"	1/4"	6	170	0.77	0.35	90	6.3	20/Ctn/16 kg/1.38'	2
AT-7436M	100000	-	3	7.80	198	1/4"	1/4"	3	85	0.55	0.25	70	5.0	20/Ctn/10 kg/1.38'	1.5

Model No.	Free Speed RPM	Cup Wheel Size (mm)	Overall Length		Air Inlet (PT)	Air Hose (ID)	Avg. Air Consumption		Net Weight		Working Air Pressure		Packing Pcs/Ctn/G.W/Cuft (kg)	Sug. Air Comp. (HP)
			inch	mm			scfm	l/min	lb	kg	psi	kg/cm ²		
AT-3190	23000	30	5.3	135	1/4"	1/4"	5	142	0.39	0.18	90	6.3	50/Ctn/21 kg/2.19'	1.5
AT-3191	23000	30	4.8	123	1/4"	1/4"	5	142	0.34	0.15	90	6.3	50/Ctn/21 kg/2.19'	1.5
AT-3192	35000	20	5.2	132	1/4"	1/4"	5	142	0.30	0.14	90	6.3	50/Ctn/20 kg/2.19'	1.5

M : metric size